## AMENDMENTS TO THE CLAIMS:

This listing of claims will replace all prior versions, and listings, of claims in the application:

LISTING OF CLAIMS:

Claims 1-4. (Cancelled)

Claim 5. (Currently amended) A method according to claim 94, wherein at least 90% of said glucoamylase activity is inactivated.

Claim 6. (Currently amended) A method according to claim 94, wherein the medium having a pH of 2.0 or higher is a medium derived from the cultivation of an organism that during its cultivation produces said chymosin activity and said glucoamylase activity.

Claim 7-8. (Cancelled)

Claim 9. (Currently amended) A method <u>for reducing the glucoamylase activity in a milk</u>
<u>clotting composition comprising the steps of: according to elaim I,</u>

(i) providing a medium having a pH of 2.0 or higher that comprises chymosin activity and glucoamylase activity, wherein the medium having a pH of 2.0 or higher is derived from the cultivation of an organism that is selected from the group consisting of an animal species, a plant-species, a bacterial species, a yeast species and a species of filamentous fungi, and

(ii) subjecting said medium to a pH in the range of 1.0 to 1.99 for a period of time sufficient to inactivate at least 50% of said glucoamylase activity while maintaining at least 75% of said chymosin activity.

Claim 10. (Previously presented) A method according to claim 9, wherein the bacterial species is selected from the group consisting of a gram negative bacterial species and a gram positive species.

Claim 11. (Previously presented) A method according to claim 9, where the yeast species is selected from the group consisting of *Saccharomyces cerevisiae*, a methylotrophic yeast species and a *Klyuveromyces* species.

Claim 12. (Previously presented) A method according to claim 9, wherein the species of filamentous fungi is selected from the group consisting of an Aspergillus species, a Cryphonectria species, a Fusarium species, a Rhizomucor species and a Trichoderma species.

Claim 13. (Currently amended) A method according to claim 24, wherein the medium having a pH of 2.0 or higher is subjected to a pH in the range of 1.5 to 1.99.

Claim 14. (Currently amended) A method according to claim 94, wherein the medium having a pH of 2.0 or higher is subjected to a pH between 1.7 to 1.99.

Claim 15. (Cancelled)

Claim 16. (Currently amended) A method according to claim 94, wherein the medium having a pH of 2.0 or higher is subjected to a pH of approximately 1.8.

Claim 17. (Currently amended) A method according to claim 94, wherein the pH in the range of 1.0 to 1.99 is provided by adding an inorganic or an organic acid.

Claim 18. (Currently amended) A method according to claim 94, wherein said period of time is in the range of 0.1 minutes to 48 hours.

Claims 19-28. (Cancelled)

Claim 29. (Currently amended) A method according to claim 94, wherein the organism comprises a gene encoding the chymosin activity that is derived from a mammalian species

selected from the group consisting of a ruminant species, a *Camelidae* species, a porcine species, an *Equidae* species and a primate species.

Claim 30. (Original) A method according to claim 29, wherein the ruminant species is selected from the group consisting of a bovine species, an ovine species, a caprine species, a deer species, a buffalo species, an antelope species and a giraffe species.

Claim 31. (Previously presented) A method according to claim 29, wherein the mammalian derived chymosin activity is naturally produced in a mammalian species.

Claims 32-34. (Cancelled)

Claim 35. (Previously presented) A method according to claim 10, wherein the bacterial species is selected from *E. coli* and *Bacillus*.

Claim 36. (Previously presented) A method according to claim 9, wherein the yeast species is selected from *Pichia pastoris* and *Klyuveromyces lactis*.

Claims 37-38. (Cancelled)

Claim 39. (Previously presented) A method according to claim 29, wherein the Camelidae species is Camelus dromedarius.

Claims 40-41. (Cancelled)

Claim 42 (Previously presented). The method of claim 12, wherein said Aspergillus species is Aspergillus niger var. awamori.

Claim 43 (Currently amended). The method of claim 94, wherein at least 85% of the chymosin activity is maintained in step (ii).